


# Product Tiers Guide

A Solution for Every Budget



# All I Ever Wanted Is Everything

## Engineering For What's Next

**USAI believes** the specifier should have it all. As a solution-based lighting technology company built on a legacy of innovation, USAI's engineering team designs for the next generation of thinking for lighting spaces, fixtures, and technologies.

Our comprehensive platform of traditional and innovative LED solutions focuses on achieving the perfect balance between color technology, optical design, and superior performance while providing flexibility to address the architectural design and budget challenges of any space across verticals in an ever-changing and dynamic world.

## Specification Simplified

### Product Tiers.

Committed to making the specification process easier, USAI has created a Product Pricing Tier System. This system helps designers understand the cost of fixtures and features from tier to tier.

### Online Configurable Spec Sheets.

This feature allows specifiers to easily configure USAI products online and generate a spec sheet based on a project's product specification. Using an ordering table similar to USAI's existing static PDF spec sheets, and logic built into the system, chances of errors are significantly reduced during the specification process.

### Providing:

- Customized Spec Sheets
- Shorter Spec Sheets
- Option to Input Labels (project, specifier, fixture type, and notes)
- Smart Logic Only Offering Accurate Combinations
- Option to Have Custom Spec Sheet Emailed to You

# Layering Tiers within a Project

Tier 3 (\$ (\$ (\$

BeveLED® 2.2 Incline® for Sloped Ceilings 4.5"

BeveLED Mini® Complete Classic White 3"

Tier 2 (\$ (\$

Project: Publicis Groupe "Le Truc Clubhouse"  
Architect: Architect Plus Information  
Lighting Designer: Lighting Workshop  
Photograph: Magda Biernat

# Which USAI Lighting Product is Right For Your Project?

USAI Lighting's expansive product portfolio provides a solution for every project need and budget. Specify across tiers to meet budget requirements while maintaining a consistent roomside appearance.



SCAN for more details.



**NOTE** specific drivers and accessories chosen may cause pricing to exceed Tier's base line.

Size	Product Family
1"	the LittleOnes® recessed
1.25"	Micro Multi-Cell recessed
1.75"	SliverLED® recessed
2"	the LittleTwos™ recessed and surface mounts
3"	BeveLED Mini® TrueZero360® recessed
4.5"	BeveLED® 2.2 recessed
5"	BeveLED Block® surface mounts
6"	BeveLED® 5.0 recessed
2" - 6"	Cylinders surface mounts
1.25" - 4.5"	Integrated Solutions recessed and surface mounts

TIER 1 \$ Budget Friendly.	TIER 2 \$ \$ Lots to Love.	TIER 3 \$ \$ \$ The Ultimate.
the LittleOnes® Micro	the LittleOnes® Zepto®	
	Micro Multi-Cell	
SliverLED® Primary® NXT		
	the LittleTwos™ Pinhole the LittleTwos™ Cylinder	
BeveLED Mini® Primary® NXT BeveLED® Mini Primary® Retrofit	BeveLED Mini® Basic BeveLED Mini® Basic Pancake® BeveLED Mini® Complete • Classic White® TrueZero360® • Classic White®	BeveLED Mini® Complete • Warm Glow® Dimming • Color Select® • Infinite Color+® TrueZero360® • Warm Glow® Dimming • Color Select® • Infinite Color+®
BeveLED® 2.2 Primary® NXT	BeveLED® 2.2 Basic	BeveLED® 2.2 Complete BeveLED® 2.2 Glow BeveLED® 2.2 Doubles
		BeveLED Block®
		BeveLED® 5.0
Primary® NXT Cylinder	the LittleTwos™ Cylinder BeveLED Mini® Cylinder	Micro Multi-Cell Pendant BeveLED® 2.2 Cylinder
	PoE Lighting Trimless Acoustical Lighting Basic BeveLED® 2.2 Basic for 6" TechZone®	Trimless Acoustical Lighting Complete USAI® for WoodWorks® USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 for 6" TechZone® USAI® for Turf Design


# Tier 1

## Budget Friendly.

Tier 1 products allow specifiers to achieve USAI's refined aesthetic for budget-conscious projects and spaces.

- Low Cost
- High CRI Options Available
- Quick Ship Options Available

**NOTE** Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.



### Recessed



#### the LittleOnes<sup>®</sup> Micro

##### FEATURES

**1.25"** Aperture

Up to **800**  
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

Retrofit, New Construction, Insulation Contact and Chicago Plenum Housing Options

Multiple Fixture to Driver Options

7W, 9W

25° – 50° Beam Options

- Classic White<sup>®</sup>
- Dim-to-Warm +
- T24/JA8
- Declare Label Red



#### BeveLED Mini<sup>®</sup> Primary<sup>®</sup> NXT

##### FEATURES

**3"** Aperture

Up to **1400**  
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless

New Construction and Insulation Contact Housing Options

9W, 15W

25° – 50° Beam Options

- Classic White<sup>®</sup>
- Dim-to-Warm
- Dim-to-Warm +
- T24/JA8
- Quick Ship Options



#### BeveLED<sup>®</sup> 2.2 Primary<sup>®</sup> NXT

##### FEATURES

**4.5"** Aperture

Up to **2300**  
Delivered Lumens

Square + Round

- Adjustable Downlight
- Wall Wash

Trimmed, Trimless, Millwork

New Construction and Insulation Contact Housing Options

9W, 15W, 20W, 29W

20° – 55° Beam Options

- Classic White<sup>®</sup>
- T24/JA8
- Quick Ship Options

### Surface Mounts



#### Primary<sup>®</sup> NXT Cylinder

##### FEATURES

**3.5"** Aperture

Up to **1375**  
Delivered Lumens

Round

- Downlight

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 15W

35° – 65° Beam Options

- Classic White<sup>®</sup>
- Dim-to-Warm
- Dim-to-Warm +
- Quick Ship Options



SliverLED® Primary® NXT  
1.75"

Primary® NXT  
Cylinder  
3.5"

## Recessed






### SliverLED® Primary® NXT

#### FEATURES

**1.75"** Aperture

Up to **1050** Delivered Lumens

Square + Round





-  Downlight
-  Wall Wash
-  Adjustable

Trimmed, Flush Mount

New Construction and Insulation  
Contact Housing Options

9W, 15W

25° - 50° Beam Options

-  Classic White®
-  Dim-to-Warm
-  Dim-to-Warm +
-  T24/JA8

# Tier 1 Features

## PERFORMANCE

Over **2300** Delivered Lumens

## LED COLOR CHOICES

● Classic White®  
2700K, 3000K, 3500K, 4000K  
80+ and 90+ CRI

● Dim-to-Warm

● Dim-to-Warm +

## SHAPES

Round and Square Recessed  
Round Pendants and Surface Mounts

## TRIMS & FINISHES

Trimmed, Trimless, Millwork  
Standard USA1 Finishes

## HOUSINGS

New Construction and IC Housings

## FUNCTIONALITY

Recessed: Downlight, Adjustable,  
Wall Wash

Surface Mounts and Pendants:  
Downlight

## DIMMING

0-10V and Phase Dimming Down to 1%

## CODE COMPLIANCE

● T24/JA8 Options

● Dry/Damp/Wet Locations



Quick Ship within 10 Days  
for Select Products



**Project:** David Zwirner Office Headquarters  
**Architect:** Selldorf Architects  
**Lighting Designer:** Map Design Studio  
**Photograph:** Colby Edwards

# Tier 2

## Lots to Love. Easy on Budget.

Tier 2 offers the best of both worlds: a range of beam spreads, trim styles, and dimming options to satisfy a broad selection of design needs, yet economically priced to satisfy competitive project requirements.



More Housings

More Light Output

More Fixture Families

More Driver Options



**NOTE** Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.



SCAN FOR more Tier 2 details on our website!

### Recessed



#### the LittleOnes<sup>®</sup> Zepto<sup>®</sup>

##### FEATURES

1" Aperture

Up to **1100**  
Delivered Lumens

Round



Downlight



Wall Wash


Trimmed, Trimless, Millwork

New Construction,  
Insulation Contact

Multiple Fixture to  
Driver Options

7W, 9W, 11W, 15W


30° – 45° Beam Options



Classic White<sup>®</sup>



T24/JA8



Declare Label Red List Approved



#### the LittleTwos<sup>™</sup> Pinhole

##### FEATURES

2" Aperture

Up to **2000**  
Delivered Lumens


Square + Round



Downlight



Wall Wash



Adjustable


Trimmed, Trimless, Millwork

Retrofit, New Construction,  
Insulation Contact  
and Chicago Plenum  
Housing Options


Multiple Fixture to  
Driver Options

7W, 9W, 11W, 15W, 20W


10° – 65° Beam Options




Classic White<sup>®</sup>




Dim-to-Warm



Dim-to-Warm +



Color Select<sup>®</sup>  
Tunable White



T24/JA8



#### BeveLED Mini<sup>®</sup> Basic Pancake<sup>®</sup>


All-In-One Adjustable

##### FEATURES

3" Aperture

Up to **1400**  
Delivered Lumens

Square + Round



Adjustable Downlight



Wall Wash


Trimmed, Trimless, Millwork

SuperFlat Adjustable,  
SuperFlat Insulation Contact  
Rated Housing Options


Multiple Fixture to  
Driver Options

9W, 15W

20° – 50° TIR Optics  
Beam Options



Classic White<sup>®</sup>



Dim-to-Warm +



T24/JA8

### Surface Mounts



#### the LittleTwos<sup>™</sup> Cylinder

##### FEATURES

2" Aperture

Up to **1050**  
Delivered Lumens


Round



Downlight



Wall Wash




Adjustable

Cable, Pendant Stem,  
Surface-Mounted and  
Conduit Cutout Options

7W, 9W, 11W, 15W


15° – 70° Beam Options




Classic White<sup>®</sup>



Dim-to-Warm



Dim-to-Warm +




T24/JA8

**Recessed**

**Surface Mounts**

**Integrated Solutions**



**the LittleOnes<sup>®</sup>  
Micro Double**

**FEATURES**

**1.25"** Aperture x2

Up to **1600**  
Delivered Lumens

Square + Round

- Downlight - Double or Combo with Wall Wash
- Wall Wash - Double or Combo with Downlight
- Adjustable Double


Trimmed, Trimless

Integral and Remote Driver Housing Option for New Construction

14W-18W

25° – 50° Beam Options

- Classic White<sup>®</sup>
- Dim-to-Warm +
- Declare Label Red List Approved



**Micro Multi-Cell**

2-cell, 4-cell, 6-cell, 8-cell, 12-cell

**FEATURES**

**1.25"** Aperture

Up to **3125**  
Delivered Lumens

Rectilinear

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

Remote Driver, Integral Driver Housing Options

8W, 13W, 21W, 27W, 41W

30° – 50° Beam Options

- Classic White<sup>®</sup>



**BeveLED Mini<sup>®</sup>  
Basic**

**FEATURES**

**3"** Aperture

Up to **1200**  
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 15W

20° – 50° Beam Options

- Classic White<sup>®</sup>
- Dim-to-Warm
- Dim-to-Warm +
- T24/JA8



**BeveLED Mini<sup>®</sup>  
Complete**

**FEATURES**

**3"** Aperture

Up to **2025**  
Delivered Lumens

Square + Round

- Downlight
- Trimmed, Trimless, Millwork
- Flat, Insulation Contact Housing Options

9W, 15W, 20W

15° – 65° Beam Options

- Classic White<sup>®</sup>
- T24/JA8
- Declare Label Red List Approved



**TrueZero<sup>360</sup>**

**FEATURES**

**3"** Aperture

Up to **1975**  
Delivered Lumens

Square + Round

- Downlight
- Trimmed, Trimless, Millwork
- Flat, Insulation Contact Housing Options

9W, 15W, 20W

25° – 60° Beam Options

- Classic White<sup>®</sup>
- T24/JA8



**BeveLED<sup>®</sup> 2.2  
Basic**

**FEATURES**

**4.5"** Aperture

Up to **2250**  
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable


Trimmed, Trimless, Millwork

New Construction Narrow Width, New Construction, Chicago Plenum, Insulation Contact Housing Options

9W, 12W, 16W, 24W

25° – 90° Beam Options

- Classic White<sup>®</sup>



**BeveLED Mini<sup>®</sup>  
Cylinder**

**FEATURES**

**3.5"** Aperture

Up to **2025**  
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 15W, 20W

15° – 65° Beam Options

- Classic White<sup>®</sup>
- Warm Glow<sup>®</sup> Dimming
- Color Select<sup>®</sup> Tunable White
- Infinite Color+<sup>®</sup>




**PoE Products**

Various

- Classic White<sup>®</sup>
- Declare Label Red List Approved

**Armstrong<sup>®</sup> Ceiling Solutions**



**Trimless Acoustical Lighting**

BeveLED Mini<sup>®</sup> and BeveLED<sup>®</sup> 2.2 Basic

- Classic White<sup>®</sup>



**BeveLED<sup>®</sup> 2.2 Basic for 6" TechZone<sup>®</sup>**

- Classic White<sup>®</sup>



# Tier 2 Features

## Everything in Tier 1 +

### PERFORMANCE

Up to **2250** Delivered Lumens

### SHAPES

Square Pendants and Surface Mounts

### TRIMS & FINISHES

Deep Regress, Cross Baffle  
Anodized Finishes

### HOUSINGS

Shallow Housings Under 2"

### FUNCTIONALITY

Wall Wash Pendants and  
Surface Mounts

### DIMMING

More Dimming Options

### CODE COMPLIANCE

-  Chicago Plenum
-  Declare Label Red List Approved

### INTEGRATED SOLUTIONS

Trimless Acoustical Lighting Basic  
BeveLED® 2.2 Basic for 6" TechZone®  
PoE Options

BeveLED Mini® Basic  
3"



Project: Knoll - Chicago Showroom  
Architect: Gensler  
Lighting Design: Focus Lighting  
Photograph: Caprice Johnson

# Tier 3

## The Ultimate Options.

Powerful and versatile, our most comprehensive offering provides maximum flexibility with a full assortment of product features including our extensive range of housing options to fit nearly every plenum and ceiling type imaginable, extensive range of wattage and color options, numerous trim styles and a wide range of beam angles and lenses.

### + All I Ever Wanted Is Everything

All Led Color Choices

All Housing Options

Latest Innovative Trends and Styles



SCAN FOR more Tier 3 details on our website!

## Recessed






### BeveLED Mini<sup>®</sup> Complete

#### FEATURES

**3"** Aperture

Up to **2025** Delivered Lumens

Square + Round







-  Downlight
-  Wall Wash
-  Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 15W, 18W, 20W

15° – 65° Beam Options

-  Classic White<sup>®</sup>
-  Warm Glow<sup>®</sup> Dimming
-  Color Select<sup>®</sup> Tunable White
-  Infinite Color+<sup>®</sup>
-  T24/JA8
-  Declare Label Red List Approved






### TrueZero<sup>360</sup>

#### FEATURES

**3"** Aperture

Up to **2550** Delivered Lumens

Square + Round






-  Downlight
-  Wall Wash
-  Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 15W, 18W, 20W, 29W

25° – 60° Beam Options

-  Classic White<sup>®</sup>
-  Warm Glow<sup>®</sup> Dimming
-  Color Select<sup>®</sup> Tunable White
-  Infinite Color+<sup>®</sup>
-  T24/JA8






### BeveLED<sup>®</sup> 2.2 Complete

#### FEATURES

**4.5"** Aperture

Up to **3450** Delivered Lumens

Square + Round







-  Downlight
-  Wall Wash
-  Adjustable

Trimmed, Trimless, Millwork


Flat, Flat Adjustable, New Construction, Narrow Width, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 16W, 24W, 32W, 33W, 36W

10° – 90° Beam Options

-  Classic White<sup>®</sup>
-  Warm Glow<sup>®</sup> Dimming
-  Color Select<sup>®</sup> Tunable White
-  Infinite Color+<sup>®</sup>
-  T24/JA8
-  Declare Label Red List Approved

## Surface Mounts



### BeveLED Mini<sup>®</sup> Adjustable Cylinder

#### FEATURES

**3.5"** Aperture

Up to **1950** Delivered Lumens





Round

-  Adjustable

Surface Mounted with Integral and Remote Driver Options


9W, 12W, 15W, 18W, 20W

15° – 65° Beam Options

-  Classic White<sup>®</sup>
-  Warm Glow<sup>®</sup> Dimming
-  Color Select<sup>®</sup> Tunable White
-  Infinite Color+<sup>®</sup>

Recessed

Surface Mounts



**BeveLED® 2.2 Doubles**

FEATURES

4.5" Aperture x2

Up to **5500** Delivered Lumens

Square + Round





Trimmed, Trimless

New Construction Double Head Housing

9W, 12W, 16W, 24W, 33W

10° – 85° Beam Options




**BeveLED® 5.0**

FEATURES

6" Aperture

Up to **6025** Delivered Lumens

Square + Round





Trimmed, Trimless, Millwork

New Construction Housing

40W, 60W, 80W

10° – 90° Beam Options



**Micro Pendant**  
2-cell, 4-cell, 6-cell, 8-cell, 12-cell

FEATURES

1.25" Aperture

Multiple Fixture to Driver Options

Up to **3125** Delivered Lumens



Rectilinear



Pendant Stem and Conduit Cutout Options

8W, 13W, 21W, 27W, 41W

35° – 50° Beam Options



**BeveLED Block®**

FEATURES

5" Aperture

Up to **2050** Delivered Lumens



Square + Round



Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 12W, 16W, 24W

25° – 90° Beam Options



**BeveLED® 2.2 Cylinder**

FEATURES

6" Aperture

Up to **3450** Delivered Lumens



Round



Cable, Pendant Stem, Surface-Mounted and Conduit Cutout Options

9W, 12W, 16W, 24W, 32W, 33W, 36W

25° – 90° Beam Options




**Project:** David Yurman  
**Lighting Designer:** Dot Dash  
**Architect:** Gabellini Sheppard Associates  
**Photograph:** Paul Warchol Photography



Micro Pendant  
1.25" cells

Project: Skokie Public Library  
Architect: Andrew Berman Architect  
Photograph: Michael Moran / OTTO

### Solutions for Unique Design Challenges



#### BeveLED Mini® + BeveLED® 2.2 Incline® for Sloped Ceilings

##### FEATURES

3", 4.5" Aperture

Up to **1900**  
Delivered Lumens - 3"

Up to **2975**  
Delivered Lumens - 4.5"

Square + Round



Trimmed, Trimless, Millwork

New Construction, Chicago Plenum, Insulation Contact Housing Options

9W, 12W, 15W, 16W, 18W, 20W, 24W, 32W, 33W, 36W

25° - 70° Beam Options

- Classic White®
- Warm Glow® Dimming
- Color Select® Tunable White
- Infinite Color+®
- T24/JA8



#### BeveLED® 2.2 Glow

##### FEATURES

4.5" Aperture

Up to **2425**  
Delivered Lumens

Square + Round



Trimmed, Trimless, Millwork

Flat, New Construction, Narrow Width, Insulation Contact, and Chicago Plenum Housing Options

9W, 12W, 16W, 24W, 32W, 33W, 36W


Narrow, Medium Beam Options

- Classic White®
- Warm Glow® Dimming
- Color Select® Tunable White
- Infinite Color+®
- Declare Label Red List Approved

### Integrated Solutions



#### PoE Products Various



#### Armstrong® Ceiling Solutions




#### Trimless Acoustical Complete

BeveLED Mini®  
BeveLED® 2.2



#### USAI® for WoodWorks®

Micro, BeveLED Mini®,  
BeveLED® 2.2




#### USAI® for MetalWorks™

BeveLED Mini®,  
BeveLED® 2.2



#### Connect for 4" TechZone®

BeveLED Mini®  
BeveLED 2.2 Complete  
for 6" TechZone®



#### Connect for Intersection Downlighting

BeveLED Mini®



#### Turf Design



#### USAI® for Turf

Port and Urban Acoustical Tiles  
BeveLED Mini®, BeveLED® 2.2



# Tier 3 Features

Everything in Tier 1 & 2 +

## PERFORMANCE

Up to **6025** Delivered Lumens

## LED COLOR CHOICES

-  Warm Glow® Dimming
-  Color Select® Tunable White
-  Infinite Color+®

## TRIMS & FINISHES

- Glow Glass Trims
- Custom Colors
- Natatorium Corrosion Resistance

## HOUSINGS

- All Housing Options Including Sloped Ceilings

## FUNCTIONALITY

- Adjustable Pendants and Surface Mounts

## DIMMING


- All Dimming Including DALI, DMX Down to .1%

## CODE COMPLIANCE

- Emergency Battery Options

## INTEGRATED SOLUTIONS

- Trimless Acoustical Lighting Complete
- More USAI® for WoodWorks®
- More USAI® for MetalWorks™
- Connect for Intersection Downlighting
- Connect for 4" TechZone®
- BeveLED® 2.2 Complete for 6" TechZone®
- USAI for Turf Design



BeveLED® 5.0 Infinite Color+® 6"

BeveLED® 5.0 Infinite Color+® 6"

Project: Las Vegas Sphere  
 Experience and Interior Design: ICRAVE, a Journey studio  
 Lighting Design: Journey Lighting  
 Architect: Populous  
 Photography: ICRAVE, a Journey studio

This Project also includes USAI Lighting Products:  
 BeveLED Mini® Complete Infinite Color+ 3"  
 BeveLED Mini® Complete 3"  
 BeveLED 2.2 Complete 4.5"

# Consider The Color of Light As An Essential Design Element

Light is equally as precious as the finishes and materials in a room. Every space, object, or task has an ideal shade of light to be lit by. Choosing the right light can make everything, everyone, and the experience extraordinary. USAI Lighting engineers are the trailblazers who innovated new possibilities and tools that were never before available – offering color temperatures ranging from 2200K to 6000K. These patented technologies provide design opportunities only limited by the imagination and include, **Classic White®**, **Color Select®**, **Warm Glow® Dimming**, and **Infinite Color+®**.

## Guide to USAI LED Color Choices Color Temperature Matters. What's right for your project?



**Classic White®** Tier 1 2 3

**EXPERIENCE** Color Consistency and Premium Performance  
**CLIENT REQUIREMENTS** Clients looking for beautiful consistent/static LED lights with exquisite dimming.



**Warm Glow® Dimming** Tier 3

**EXPERIENCE** Uncompromised, Patented, Traditional Warmth in an LED  
**CLIENT REQUIREMENTS** Clients who love their traditional light sources (halogens and incandescent) and want the same warmth and dimming experience with their LED.

**Dim-to-Warm & Dim-to-Warm +** Tier 1 2

**EXPERIENCE** Warmth in an LED  
**CLIENT REQUIREMENTS** Clients requiring warm dimming options for budget-friendly and competitive projects.



**Color Select® Tunable White®** Tier 3

**EXPERIENCE** Daily Light Cycle Mimicking Outdoor Natural Light  
**CLIENT REQUIREMENTS** Clients interested in bringing the outdoor light cycle inside for wellbeing benefits and personalized environments.



**Infinite Color+®** Tier 3

**EXPERIENCE** Experience Full Spectrum WRGB with Personalized Whites, Saturated Hues, Soft Pastels and Everything In Between.  
**CLIENT REQUIREMENTS** Clients looking for the ultimate in dynamic lighting with the greatest flexibility – from bespoke experiences, to perfectly match layers of light from other fixtures.

# Warm Dimming Tiers

## Warmth for Every Budget

USAI's Warm Dimming offerings provide a tiered selection based on color quality, dimming options, performance, and price.

Created to meet the needs for every project and budget, specifiers now have two **Dim-to-Warm** options in addition to USAI's proprietary **Warm Glow® Dimming**. Warm Glow Dimming remains the industry's best LED option to match incandescent dimming. When on a budget, use **Dim-to-Warm** to achieve dimmed warmth without reaching candlelit levels.



Dim-to-Warm	Dim-to-Warm +	Only LED that Mimics an Incandescent Warm Glow® Dimming
3000K Dims to 1800K	3000K Dims to 2000K	3000K or 2700K Dims to 2200K
Provides standard LED warmth	A more natural warm dimming option that is close to incandescent	USAI's proprietary LED technology provides a perfect match to incandescent dimming
90+ CRI	90+ CRI	80+ and 90+ CRI
Good Color Consistency 3-Step MacAdam Ellipse	Good Color Consistency 3-Step MacAdam Ellipse	Best Color Consistency 2-Step MacAdam Ellipse
Tier 1 (\$) Tier 2 (\$ \$)	Tier 1 (\$) Tier 2 (\$ \$)	Tier 3 (\$ \$ \$)

### CREDITS CLOCKWISE ON LEFT












**Project:** GM Building  
**Lighting Designer:** One Lux Studio  
**Architect:** Fogarty Fingers Architecture  
**Photograph:** Caprice Johnson

**Project:** Cherry Hills Country Club  
**Architect:** Mark Finlay Architects  
**Interior Design:** Tom Hoch  
**Photograph:** Brian Walters

**Project:** Las Vegas Sphere  
**Experience and Interior Design:** ICRAVE, a Journey Company  
**Lighting Designer:** Journey Lighting  
**Architect:** Populous  
**Photography:** ICRAVE, a Journey company

**Project:** Private Residence  
**Interior Design:** KA Design Group

# A Solution for Every Budget

	Tier 1 💰 Budget Friendly.	Tier 2 💰💰 Lots to Love.	Tier 3 💰💰💰 The Ultimate.
Features	Everything in Tier 1 +		Everything in Tier 1 & 2 +
Performance	Up to <b>2300</b> Delivered Lumens	Up to <b>3125</b> Delivered Lumens	Up to <b>6025</b> Delivered Lumens
LED Color Choices	 Classic White® 2700K, 3000K, 3500K, 4000K 80+ and 90+ CRI  Dim-to-Warm  Dim-to-Warm+	+ Same As Tier 1 Options +	 Warm Glow® Dimming  Color Select® Tunable White  Infinite Color+®
Shapes	Round and Square Recessed Round Pendants and Surface Mounts	+ Square Pendants and Surface Mounts Multi-Head Recessed Fixtures Square Multi-Cell +	
Trims & Finishes	Trimmed, Trimless, Millwork White and Black	+ Deep Regress, Cross Baffle Powdercoat Painted and Anodized Finishes +	Glow Glass Trims Custom Colors Natatorium Corrosion Resistance
Housings	Standard Housings Under 4.5" Height IC Housings	+ Shallow Housings Under 2" Height CP Housings +	All Housing Options Including Sloped Ceilings Steam Rooms and Saunas
Functionality	Recessed: Downlight, Adjustable, Wall Wash Pendants/Surface Mounts: Downlight	+ Pendants/Surface Mounts: Wall Wash +	Pendants/Surface Mounts: Adjustable
Dimming	0-10V and Phase Dimming Down to 1%	+ More Dimming Options +	All Dimming Including DALI, DMX Down to .1%
Code Compliance	 T24/JA8 Options  Declare Label Red List Approved  Dry/Damp/Wet Locations	+  Chicago Plenum +	Emergency Battery Options
Shipping	 Quick Ship Within 10 Days Available for Select Products	Standard Lead Times (2 - 4 weeks)	Made to Order (Varies)
Integrated Solutions		Trimless Acoustical Lighting Basic BeveLED® 2.2 Basic for 6" TechZone® PoE Options	+ Trimless Acoustical Lighting Complete USAI® for WoodWorks® USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 Complete for 6" TechZone® USAI® for Turf Design



**USAI LIGHTING COLLABORATORY**  
 13 Crosby Street  
 New York, NY 10013  
 845-234-4090  
 showroom@usailighting.com

**USAI LIGHTING HEADQUARTERS**  
 1126 River Road  
 New Windsor, NY 12553  
 T: 845-565-8500  
 info@usailighting.com

©2025 USAI Lighting All Rights Reserved. The LittleTwos are trademarks and USAI, BeveLED, BeveLED Mini, SilverLED, BeveLED Block, BeveLED Basic, Primary, Classic White, Warm Glow, Color Select and Infinite Color+ TrueZero360, and Pancake are registered trademarks of USAI, LLC. All designs protected by copyright. Covered by US Patents. Patents pending. WoodWorks® and MetalWorks™ are trademarks of AWI Licensing LLC. CA-118D Digital