


Product Tiers Guide

A Solution for Every Budget



All I Ever Wanted Is Everything

Engineering For What’s Next

USAI believes the specifier should have it all. As a solution-based lighting technology company built on a legacy of innovation, USAI’s engineering team designs for the next generation of thinking for lighting spaces, fixtures, and technologies.

Our comprehensive platform of traditional and innovative LED solutions focuses on achieving the perfect balance between color technology, optical design, and superior performance while providing flexibility to address the architectural design and budget challenges of any space across verticals in an ever-changing and dynamic world.

Specification Simplified

Product Tiers.

Committed to making the specification process easier, USAI has created a Product Pricing Tier System. This system helps designers understand the cost of fixtures and features from tier to tier.

Online Configurable Spec Sheets.

This feature allows specifiers to easily configure USAI products online and generate a spec sheet based on a project's product specification. Using an ordering table similar to USAI's existing static PDF spec sheets, and logic built into the system, chances of errors are significantly reduced during the specification process.

Providing:

- Customized Spec Sheets
- Shorter Spec Sheets
- Option to Input Labels (project, specifier, fixture type, and notes)
- Smart Logic Only Offering Accurate Combinations
- Option to Have Custom Spec Sheet Emailed to You

Layering Tiers within a Project

Tier 3 (\$ (\$ (\$



Tier 2 (\$ (\$

Project: Publicis Groupe "Le Truc Clubhouse"
Architect: Architect Plus Information
Lighting Designer: Lighting Workshop
Photograph: Magda Biernat

Which USAI Lighting Product is Right For Your Project?

USAI Lighting’s expansive product portfolio provides a solution for every project need and budget. Specify across tiers to meet budget requirements while maintaining a consistent roomside appearance.



SCAN for more details.



NOTE specific drivers and accessories chosen may cause pricing to exceed Tier's base line.

Size	Product Family
1"	the LittleOnes® recessed
1.25"	Micro Multi-Cell recessed
1.75"	SliverLED® recessed
2"	the LittleTwos™ recessed and surface mounts
3"	BeveLED Mini® TrueZero360® recessed
4.5"	BeveLED® 2.2 recessed
5"	BeveLED Block® surface mounts
6"	BeveLED® 5.0 recessed
2" - 6"	Cylinders surface mounts
1.25" - 4.5"	Integrated Solutions recessed and surface mounts

TIER 1 \$ Budget Friendly.	TIER 2 \$ \$ Lots to Love.	TIER 3 \$ \$ \$ The Ultimate.
the LittleOnes® Micro	the LittleOnes® Zepto®	
	Micro Multi-Cell	
SliverLED® Primary® NXT		
	the LittleTwos™ Pinhole the LittleTwos™ Cylinder	
BeveLED Mini® Primary® NXT BeveLED® Mini Primary® Retrofit	BeveLED Mini® Basic BeveLED Mini® Basic Pancake® BeveLED Mini® Complete • Classic White®	BeveLED Mini® Complete • Warm Glow® Dimming • Color Select® • Infinite Color+® TrueZero360®
BeveLED® 2.2 Primary® NXT	BeveLED® 2.2 Basic	BeveLED® 2.2 Complete BeveLED® 2.2 Glow BeveLED® 2.2 Doubles
		BeveLED Block®
		BeveLED® 5.0
Primary® NXT Cylinder	the LittleTwos™ Cylinder BeveLED Mini® Cylinder	Micro Multi-Cell Pendant BeveLED® 2.2 Cylinder
	PoE Lighting Trimless Acoustical Lighting Basic BeveLED® 2.2 Basic for 6" TechZone®	Trimless Acoustical Lighting Complete USAI® for WoodWorks® USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 for 6" TechZone® USAI® for Turf Design

Tier 1

Budget Friendly.

Tier 1 products allow specifiers to achieve USAI's refined aesthetic for budget-conscious projects and spaces.




Low Cost



High CRI
Options
Available



Quick Ship
Options
Available

 **NOTE** Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.



SCAN FOR
more **Tier 1** details
on our website!

Recessed






the LittleOnes[®] Micro

FEATURES

1.25" Aperture

Up to **800**
Delivered Lumens

Square + Round

-  Downlight
-  Wall Wash
-  Adjustable





Trimmed, Trimless, Millwork

Retrofit, New Construction,
Insulation Contact
and Chicago Plenum
Housing Options

Multiple Fixture to
Driver Options

7W, 9W

25° – 50° Beam Options

-  Classic White[®]
-  Dim-to-Warm +
-  T24/JA8
-  Declare Label Red






BeveLED Mini[®] Primary[®] NXT

FEATURES

3" Aperture

Up to **1400**
Delivered Lumens

Square + Round





-  Downlight
-  Wall Wash
-  Adjustable


Trimmed, Trimless

New Construction
and Insulation Contact
Housing Options

9W, 15W

25° – 50° Beam Options

-  Classic White[®]
-  Dim-to-Warm
-  Dim-to-Warm +
-  T24/JA8

 Quick Ship Options





BeveLED[®] 2.2 Primary[®] NXT

FEATURES

4.5" Aperture

Up to **2300**
Delivered Lumens

Square + Round




-  Adjustable
Downlight
-  Wall Wash

Trimmed, Trimless, Millwork

New Construction
and Insulation Contact
Housing Options

9W, 15W, 20W, 29W

20° – 55° Beam Options

-  Classic White[®]
 -  T24/JA8
-  Quick Ship Options

Surface Mounts



Primary[®] NXT Cylinder

FEATURES

3.5" Aperture

Up to **1375**
Delivered Lumens





Round

-  Downlight

Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

9W, 15W

35° – 65° Beam Options

-  Classic White[®]
 -  Dim-to-Warm
 -  Dim-to-Warm +
-  Quick Ship Options



SliverLED® Primary® NXT
1.75"

Primary® NXT
Cylinder
3.5"

Recessed



SliverLED® Primary® NXT

FEATURES

1.75" Aperture

Up to **1050** Delivered Lumens

Square + Round



Downlight



Wall Wash



Adjustable

Trimmed, Flush Mount

New Construction and Insulation
Contact Housing Options

9W, 15W

25° – 50° Beam Options



Classic White®



Dim-to-Warm



Dim-to-Warm +



T24/JA8

Tier 1 Features

PERFORMANCE

Over **2300** Delivered Lumens

LED COLOR CHOICES

● Classic White®
2700K, 3000K, 3500K, 4000K
80+ and 90+ CRI

● Dim-to-Warm

● Dim-to-Warm +

SHAPES

Round and Square Recessed
Round Pendants and Surface Mounts

TRIMS & FINISHES

Trimmed, Trimless, Millwork
Standard USAI Finishes

HOUSINGS

New Construction and IC Housings

FUNCTIONALITY

Recessed: Downlight, Adjustable,
Wall Wash

Surface Mounts and Pendants:
Downlight

DIMMING

0-10V and Phase Dimming Down to 1%

CODE COMPLIANCE

● T24/JA8 Options

● Dry/Damp/Wet Locations



Quick Ship within 10 Days
for Select Products



Project: David Zwirner Office Headquarters
Architect: Selldorf Architects
Lighting Designer: Map Design Studio
Photograph: Colby Edwards

Tier 2

Lots to Love. Easy on Budget.

Tier 2 offers the best of both worlds: a range of beam spreads, trim styles, and dimming options to satisfy a broad selection of design needs, yet economically priced to satisfy competitive project requirements.



More Housings

More Light Output

More Fixture Families

More Driver Options



NOTE Specific drivers, finishes and accessories chosen may cause pricing to exceed Tier's base line.



SCAN FOR
more **Tier 2** details
on our website!

Recessed



the LittleOnes® Zepto®

FEATURES

1" Aperture

Up to **1100**
Delivered Lumens

Round



Downlight



Wall Wash

Trimmed, Trimless, Millwork

New Construction,
Insulation Contact

Multiple Fixture to
Driver Options

7W, 9W, 11W, 15W

30° – 45° Beam Options



Classic White®



T24/JA8



Declare Label Red
List Approved



the LittleTwos™ Pinhole

FEATURES

2" Aperture

Up to **2000**
Delivered Lumens

Square + Round



Downlight



Wall Wash



Adjustable

Trimmed, Trimless, Millwork

Retrofit, New Construction,
Insulation Contact
and Chicago Plenum
Housing Options

Multiple Fixture to
Driver Options

7W, 9W, 11W, 15W, 20W

10° – 65° Beam Options



Classic White®



Dim-to-Warm



Dim-to-Warm +



Color Select®
Tunable White



T24/JA8

Surface Mounts



the LittleTwos™ Cylinder

FEATURES

2" Aperture

Up to **1050**
Delivered Lumens

Round



Downlight



Wall Wash



Adjustable

Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

7W, 9W, 11W, 15W

15° – 70° Beam Options



Classic White®



Dim-to-Warm



Dim-to-Warm +



T24/JA8

Recessed



the LittleOnes®
Micro Double

FEATURES

1.25" Aperture x2

Up to **1600**
Delivered Lumens

Square + Round

- Downlight - Double or Combo with Wall Wash
- Wall Wash- Double or Combo with Downlight
- Adjustable Double


Trimmed, Trimless

Integral and Remote
Driver Housing Option for
New Construction

14W-18W

25° – 50° Beam Options

- Classic White®
- Dim-to-Warm +
- Declare Label Red List Approved



Micro Multi-Cell
2-cell, 4-cell, 6-cell, 8-cell,
12-cell

FEATURES

1.25" Aperture

Up to **3125**
Delivered Lumens

Rectilinear

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

Remote Driver, Integral
Driver Housing Options

8W, 13W, 21W, 27W, 41W

30° – 50° Beam Options

- Classic White®



BeveLED Mini®
Basic

FEATURES

3" Aperture

Up to **1200**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

New Construction,
Insulation Contact, Chicago
Plenum Housing Options

9W, 15W

20° – 50° Beam Options

- Classic White®
- Dim-to-Warm
- Dim-to-Warm +
- T24/JA8



BeveLED Mini®
Complete

FEATURES

3" Aperture

Up to **2025**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable,
New Construction,
Insulation Contact, Chicago
Plenum Housing Options

9W, 15W, 20W

15° – 65° Beam Options

- Classic White®
- T24/JA8
- Declare Label Red List Approved



BeveLED® 2.2
Basic

FEATURES

4.5" Aperture

Up to **2250**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable


Trimmed, Trimless, Millwork

New Construction Narrow
Width, New Construction,
Chicago Plenum, Insulation
Contact Housing Options

9W, 12W, 16W, 24W

25° – 90° Beam Options

- Classic White®



BeveLED Mini®
Cylinder

FEATURES

3.5" Aperture

Up to **2025**
Delivered Lumens

Square + Round

- Downlight
- Wall Wash
- Adjustable

Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

9W, 15W, 20W

15° – 65° Beam Options

- Classic White®
- Warm Glow® Dimming
- Color Select® Tunable White
- Infinite Color+®

Integrated Solutions



PoE Products
Various

- Classic White®
- Declare Label Red List Approved

Armstrong® Ceiling Solutions



Trimless Acoustical Lighting
BeveLED Mini® and
BeveLED® 2.2 Basic

- Classic White®



BeveLED® 2.2 Basic
for 6" TechZone®

- Classic White®

Tier 2 Features

Everything in Tier 1 +

PERFORMANCE

Up to **2250** Delivered Lumens

SHAPES

Square Pendants and Surface Mounts

TRIMS & FINISHES

Deep Regress, Cross Baffle
Anodized Finishes

HOUSINGS

Shallow Housings Under 2"

FUNCTIONALITY

Wall Wash Pendants and
Surface Mounts

DIMMING

More Dimming Options

CODE COMPLIANCE

-  Chicago Plenum
-  Declare Label Red List Approved

INTEGRATED SOLUTIONS

Trimless Acoustical Lighting Basic
BeveLED® 2.2 Basic for 6" TechZone®
PoE Options



Tier 3

The Ultimate Options.


Powerful and versatile, our most comprehensive offering provides maximum flexibility with a full assortment of product features including our extensive range of housing options to fit nearly every plenum and ceiling type imaginable, extensive range of wattage and color options, numerous trim styles and a wide range of beam angles and lenses.

+ All I Ever Wanted Is Everything

All Led Color Choices

All Housing Options

Latest Innovative Trends and Styles



Recessed



BeveLED Mini[®] Complete

FEATURES

3" Aperture

Up to **2025**
Delivered Lumens


Square + Round



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 15W, 18W, 20W


15° – 65° Beam Options




Classic White[®]




Warm Glow[®] Dimming




Color Select[®] Tunable White



Infinite Color+[®]



T24/JA8



Declare Label Red List Approved



TrueZero³⁶⁰

FEATURES

3" Aperture

Up to **2575**
Delivered Lumens

Square



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 15W, 18W, 20W, 29W

20° – 60° Beam Options




Classic White[®]




Warm Glow[®] Dimming




Color Select[®] Tunable White



Infinite Color+[®]



T24/JA8



Declare Label Red List Approved



BeveLED[®] 2.2 Complete

FEATURES

4.5" Aperture

Up to **3450**
Delivered Lumens


Square + Round



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork

Flat, Flat Adjustable, New Construction, Narrow Width, Insulation Contact, Chicago Plenum Housing Options

9W, 12W, 16W, 24W, 32W, 33W, 36W


10° – 90° Beam Options




Classic White[®]




Warm Glow[®] Dimming




Color Select[®] Tunable White



Infinite Color+[®]



T24/JA8



Declare Label Red List Approved

Surface Mounts




BeveLED Mini[®] Adjustable Cylinder

FEATURES

3.5" Aperture

Up to **1950**
Delivered Lumens

Round




Adjustable

Surface Mounted with Integral and Remote Driver Options

9W, 12W, 15W, 18W, 20W

15° – 65° Beam Options




Classic White[®]



Warm Glow[®] Dimming




Color Select[®] Tunable White



Infinite Color+[®]

Recessed

Surface Mounts




BeveLED® 2.2
Doubles

FEATURES

4.5" Aperture x2

Up to **5500**
Delivered Lumens

Square + Round




Adjustable

Trimmed, Trimless

New Construction Double
Head Housing

9W, 12W, 16W, 24W, 33W


10° – 85° Beam Options



Classic White®



Warm Glow®
Dimming



BeveLED® 5.0

FEATURES

6" Aperture

Up to **6025**
Delivered Lumens


Square + Round



Downlight



Wall Wash




Adjustable

Trimmed, Trimless, Millwork

New Construction Housing

40W, 60W, 80W

10° – 90° Beam Options



Classic White®



Warm Glow®
Dimming



Color Select®
Tunable White



Micro Pendant
2-cell, 4-cell, 6-cell,
8-cell, 12-cell

FEATURES

1.25" Aperture

Multiple Fixture to
Driver Options

Up to **3125**
Delivered Lumens

Rectilinear



Downlight



Wall Wash


Pendant Stem and
Conduit Cutout Options

8W, 13W, 21W, 27W, 41W

35° – 50° Beam Options



Classic White®



BeveLED Block®

FEATURES

5" Aperture

Up to **2050**
Delivered Lumens

Square + Round



Downlight




Wall Wash


Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

9W, 12W, 16W, 24W


25° – 90° Beam Options



Classic White®



Warm Glow®
Dimming



T24/JA8



BeveLED® 2.2
Cylinder

FEATURES

6" Aperture

Up to **3450**
Delivered Lumens

Round



Downlight



Wall Wash



Adjustable

Cable, Pendant Stem,
Surface-Mounted and
Conduit Cutout Options

9W, 12W, 16W, 24W, 32W,
33W, 36W

25° – 90° Beam Options




Classic White®



Warm Glow®
Dimming



Color Select®
Tunable White



Infinite Color+®

BeveLED® 2.2 Complete
4.5"

BeveLED® Mini®
Complete
3"

Project: David Yurman
Lighting Designer: Dot Dash
Architect: Gabellini Sheppard Associates
Photograph: Paul Warchol Photography


Solutions for Unique Design Challenges

Integrated Solutions



Micro Pendant
1.25" cells

Project: Skokie Public Library
Architect: Andrew Berman Architect
Photograph: Michael Moran / OTTO



BeveLED Mini® + BeveLED® 2.2 Incline® for Sloped Ceilings


FEATURES

3", 4.5" Aperture

Up to **1900**
Delivered Lumens - 3"

Up to **2975**
Delivered Lumens - 4.5"

Square + Round




Downlight

Trimmed, Trimless, Millwork


New Construction, Chicago Plenum, Insulation Contact Housing Options

9W, 12W, 15W, 16W, 18W, 20W, 24W, 32W, 33W, 36W


25° – 70° Beam Options




Classic White®




Warm Glow® Dimming



Color Select® Tunable White



Infinite Color+®



T24/JA8



BeveLED® 2.2 Glow

FEATURES

4.5" Aperture

Up to **2425**
Delivered Lumens

Square + Round




Downlight

Trimmed, Trimless, Millwork

Flat, New Construction, Narrow Width, Insulation Contact, and Chicago Plenum Housing Options

9W, 12W, 16W, 24W, 32W, 33W, 36W


Narrow, Medium Beam Options



Classic White®




Warm Glow® Dimming



Color Select® Tunable White



Infinite Color+®



Declare Label Red List Approved



PoE Products Various



Armstrong® Ceiling Solutions




Trimless Acoustical Complete

BeveLED Mini®
BeveLED® 2.2



USAI® for WoodWorks®

Micro, BeveLED Mini®,
BeveLED® 2.2



USAI® for MetalWorks™

BeveLED Mini®,
BeveLED® 2.2



Connect for 4" TechZone®

BeveLED Mini®
BeveLED 2.2 Complete
for 6" TechZone®



Connect for Intersection Downlighting

BeveLED Mini®



Turf Design



USAI® for Turf

Port and Urban Acoustical Tiles
BeveLED Mini®, BeveLED® 2.2



Tier 3 Features

Everything in
Tier 1 & 2 +

PERFORMANCE

Up to **6025** Delivered Lumens

LED COLOR CHOICES

- Warm Glow® Dimming
- Color Select® Tunable White
- Infinite Color+®

TRIMS & FINISHES

- Glow Glass Trims
- Custom Colors
- Natatorium Corrosion Resistance

HOUSINGS

All Housing Options Including
Sloped Ceilings

FUNCTIONALITY

Adjustable Pendants and
Surface Mounts

DIMMING

All Dimming Including DALI,
DMX Down to .1%

CODE COMPLIANCE

Emergency Battery Options

INTEGRATED SOLUTIONS

Trimless Acoustical Lighting Complete
More USAI® for WoodWorks®
More USAI® for MetalWorks™
Connect for Intersection Downlighting
Connect for 4" TechZone®
BeveLED® 2.2 Complete for 6" TechZone®
USAI for Turf Design

Tier 3 (\$ (\$ (\$ The Ultimate



Project: Las Vegas Sphere
Experience and Interior Design:
ICRAVE, a Journey studio
Lighting Design: Journey Lighting
Architect: Populous
Photography: ICRAVE, a Journey studio


This Project also includes
USAI Lighting Products:
BeveLED Mini® Complete Infinite Color+ 3"
BeveLED Mini® Complete 3"
BeveLED 2.2 Complete 4.5"

Consider The Color of Light As An Essential Design Element

Light is equally as precious as the finishes and materials in a room. Every space, object, or task has an ideal shade of light to be lit by. Choosing the right light can make everything, everyone, and the experience extraordinary. USAI Lighting engineers are the trailblazers who innovated new possibilities and tools that were never before available – offering color temperatures ranging from 2200K to 6000K. These patented technologies provide design opportunities only limited by the imagination and include, **Classic White®**, **Color Select®**, **Warm Glow® Dimming**, and **Infinite Color+®**.

Guide to USAI LED Color Choices

Color Temperature Matters. What's right for your project?




Classic White®

Tier 1 2 3

EXPERIENCE Color Consistency and Premium Performance

CLIENT REQUIREMENTS Clients looking for beautiful consistent/static LED lights with exquisite dimming.



Warm Glow® Dimming

Tier 3

EXPERIENCE Uncompromised, Patented, Traditional Warmth in an LED


CLIENT REQUIREMENTS Clients who love their traditional light sources (halogens and incandescent) and want the same warmth and dimming experience with their LED.

Dim-to-Warm & Dim-to-Warm +

Tier 1 2

EXPERIENCE Warmth in an LED

CLIENT REQUIREMENTS Clients requiring warm dimming options for budget-friendly and competitive projects.




Color Select® Tunable White®

Tier 3

EXPERIENCE Daily Light Cycle Mimicking Outdoor Natural Light

CLIENT REQUIREMENTS Clients interested in bringing the outdoor light cycle inside for wellbeing benefits and personalized environments.



Infinite Color+®

Tier 3

EXPERIENCE Experience Full Spectrum WRGB with Personalized Whites, Saturated Hues, Soft Pastels and Everything In Between.

CLIENT REQUIREMENTS Clients looking for the ultimate in dynamic lighting with the greatest flexibility – from bespoke experiences, to perfectly match layers of light from other fixtures.

Warm Dimming Tiers

Warmth for Every Budget

USAI's Warm Dimming offerings provide a tiered selection based on color quality, dimming options, performance, and price.

Created to meet the needs for every project and budget, specifiers now have two **Dim-to-Warm** options in addition to USAI's proprietary **Warm Glow® Dimming**. Warm Glow Dimming remains the industry's best LED option to match incandescent dimming. When on a budget, use **Dim-to-Warm** to achieve dimmed warmth without reaching candlelit levels.



Dim-to-Warm

3000K Dims to 1800K

Provides standard LED warmth

90+ CRI

Good Color Consistency
3-Step MacAdam Ellipse

Tier 1 \$

Tier 2 \$ \$

Dim-to-Warm +

3000K Dims to 2000K

A more natural warm dimming option that is close to incandescent

90+ CRI

Good Color Consistency
3-Step MacAdam Ellipse

Tier 1 \$

Tier 2 \$ \$

Only LED that Mimics an Incandescent

Warm Glow® Dimming

3000K or 2700K Dims to 2200K

USAI's proprietary LED technology provides a perfect match to incandescent dimming

80+ and 90+ CRI

Best Color Consistency
2-Step MacAdam Ellipse

Tier 3 \$ \$ \$

CREDITS CLOCKWISE ON LEFT


















Project: GM Building
Lighting Designer: One Lux Studio
Architect: Fogarty Fingers Architecture
Photograph: Caprice Johnson

Project: Cherry Hills Country Club
Architect: Mark Finlay Architects
Interior Design: Tom Hoch
Photograph: Brian Walters

Project: Las Vegas Sphere
Experience and Interior Design: ICRAVE, a Journey Company
Lighting Designer: Journey Lighting
Architect: Populous
Photography: ICRAVE, a Journey company

Project: Private Residence
Interior Design: KA Design Group

A Solution for Every Budget

	Tier 1  Budget Friendly.	Tier 2   Lots to Love.	Tier 3    The Ultimate.
Features		Everything in Tier 1 +	Everything in Tier 1 & 2 +
Performance	Up to 2300 Delivered Lumens	Up to 3125 Delivered Lumens	Up to 6025 Delivered Lumens
LED Color Choices	 Classic White® 2700K, 3000K, 3500K, 4000K 80+ and 90+ CRI  Dim-to-Warm  Dim-to-Warm+	+ Same As Tier 1 Options	+  Warm Glow® Dimming  Color Select® Tunable White  Infinite Color+®
Shapes	Round and Square Recessed Round Pendants and Surface Mounts	+ Square Pendants and Surface Mounts Multi-Head Recessed Fixtures Square Multi-Cell	+
Trims & Finishes	Trimmed, Trimless, Millwork White and Black	+ Deep Regress, Cross Baffle Powdercoat Painted and Anodized Finishes	+ Glow Glass Trims Custom Colors Natatorium Corrosion Resistance
Housings	Standard Housings Under 4.5" Height IC Housings	+ Shallow Housings Under 2" Height CP Housings	+ All Housing Options Including Sloped Ceilings Steam Rooms and Saunas
Functionality	Recessed: Downlight, Adjustable, Wall Wash Pendants/Surface Mounts: Downlight	+ Pendants/Surface Mounts: Wall Wash	+ Pendants/Surface Mounts: Adjustable
Dimming	0-10V and Phase Dimming Down to 1%	+ More Dimming Options	+ All Dimming Including DALI, DMX Down to .1%
Code Compliance	 T24/IA8 Options  Declare Label Red List Approved  Dry/Damp/Wet Locations	+  Chicago Plenum	+ Emergency Battery Options
Shipping	 Quick Ship Within 10 Days Available for Select Products	Standard Lead Times (2 - 4 weeks)	Made to Order (Varies)
Integrated Solutions		Trimless Acoustical Lighting Basic BeveLED® 2.2 Basic for 6" TechZone® PoE Options	+ Trimless Acoustical Lighting Complete USAI® for WoodWorks® USAI® for MetalWorks™ Connect for Intersection Downlighting Connect for 4" TechZone® BeveLED® 2.2 Complete for 6" TechZone® USAI® for Turf Design