



INTRODUCING

# the LittleOnes<sup>®</sup> Micro Doubles



1.25"

The 1.25" Aperture  
Power Couple




the LittleOnes  
Micro Doubles



# Hello, Power Couple!

The LittleOnes® Family expands with a dynamic duo. Meet the LittleOnes® Micro Doubles. A collection of tiny 1.25-inch aperture Power Couples that deliver up to 1600 lumens while offering the family's signature glare control technology and minimal design.



## MICRO DOUBLES COMBINATIONS

Experience twice the performance with the **LittleOnes Micro Doubles** featuring Double Downlight, Double Adjustable, Double Wall Wash or even a combination of Downlight and Wall Wash. Available in trimmed and trimless, round and square, with black and white finishes, there's an option for nearly every design intent. Choose combination finishes of black bevels with white flanges for visually quiet ceiling integrations.

Looking for application tips? →



USAI  
LIGHTING  
SNAP FOR  
APPLICATION GUIDE

	Trimless White	Trimless Black	Trimmed White Bevel	Trimmed Black Bevel
Double Downlight Round				
Double Downlight Square				
Double Adjustable Round				
Double Adjustable Square				
Double Wallwash Round				
Double Wallwash Square				
One Downlight & One Wallwash Round				
One Downlight & One Wallwash Square				

NOTE: Spacing varies with trim styles.

# the LittleOnes<sup>®</sup> Micro Doubles

FULL FAMILY HIGH PERFORMANCE FEATURES AND SPECIFICATIONS

## ● TIER 3

The Ultimate 💰💰💰

### THE POWER

Up to **1600** Delivered Lumens (800 lms per head)

### LITTLE

**1.25"** Aperture x 2

### SHAPE

Round and Square

### CONSISTENT AESTHETIC

Perfect Match to the LittleOnes Micro and Micro Multi-Cell

### TRIM OPTIONS

Trimmed, Trimless

### HOUSING

Integral and Remote Driver Housing Option For New Construction

### WATTAGE

14W-18W

### BEAM SPREADS

25°, 35° and 50° + Wall Wash

### LENSES AND ACCESSORIES

Linear Spread Lens, Color Shifting (CTO) Filters, Hexcell Louver



**Classic White<sup>®</sup>** 2700K, 3000K, 3500K, 4000K, 80+ and 90+ CRI



**Dim-to-Warm +** 3000K - 2000K, 90+ CRI

### DRIVER CHOICES

Choose between efficiency with one remote driver per fixture and flexibility with one driver per head.

### FINISH OPTIONS



Matte  
White



Matte  
Black



Specular  
Black



LBC Red List  
Approved



IBEW Union  
Made



Meets WELL  
Building Standards



0.1% Dimming  
Options



Dry, Damp,  
Wet Locations



5 Year  
Warranty



Buy American  
Act Compliant



NRTL/CSA-US  
Listed



CALL, EMAIL, OR VISIT [USAILIGHTING.COM](https://usailighting.com) TO LEARN MORE

**USAI LIGHTING COLLABORATORY**  
13 CROSBY STREET  
NEW YORK, NY 10013  
(845) 234-4090  
[SHOWROOM@USAILIGHTING.COM](mailto:SHOWROOM@USAILIGHTING.COM)

**USAI LIGHTING HEADQUARTERS**  
1126 RIVER ROAD  
NEW WINDSOR, NY 12553  
(845) 565-8500  
[INFO@USAILIGHTING.COM](mailto:INFO@USAILIGHTING.COM)

© 2024 USAI Lighting.  
All rights reserved. USAI, the LittleOnes,  
and Classic White are registered  
trademarks of USAI, LLC. All designs  
protected by Copyright.  
Patents pending. CA-151D