USAI*Lighting + Declare.



USAI's Declare Label Products Guide

USAI Lighting is committed to helping our customers meet sustainability goals now and in the future through innovative and energy-saving light fixtures. In support of that goal, we have worked with the **International Living Future Institute** to achieve **Red List Approved Status** for a wide range of our products with published digital Declare labels available online.

USAI will continue to include additional products. Visit the USAI Lighting website to browse through the latest **Declare Label Red-List Approved Products.**



Declare Label Products

USAI's Declare Red List Approved Products



03
the LittleOnes®
Zepto®



07the LittleTwosTM
Pinhole



04
the LittleOnes®
Micro



08
the LittleTwosTM
Cylinder



05
the LittleOnes®
Micro Doubles



09 Beveled Mini® Complete



06 Micro Multi-Cell



10 BeveLED® 2.2 Complete



Living Building Challenge 4.1

The International Living Future Institute (ILFI) is a global nonprofit organization that operates the Living Building Challenge (LBC), a performance standard for healthy and sustainable buildings. The ILFI manages the Declare label platform and product approvals for LBC projects.

If you have a LBC project you will need to select Declare labeled products.

Living Building Challenge:

3 Product Declaration Statuses Can Be Achieved

- RED LIST FREE products disclose 100% of ingredients present at or above 100 ppm (0.01%) in the final product and do not contain any Red List chemicals.
- RED LIST APPROVED products disclose

 a minimum of 99% of ingredients present in
 the final product and meet the LBC Red List
 Imperative requirements through one or more
 approved exceptions.
- DECLARED products disclose 100% of ingredients present in the final product but contain one or more Red List chemicals that are not covered by an approved exception.

Why Declare?

- Contribute to Living Building Challenge, LEED, and WELL projects.
- Declare is the only label that combines material transparency and the Red List.
 It distills complex chemical ingredient information into an easy to read label.
- Declare helps you find and specify Red List Approved products, which are healthy for people, the environment, and communities.

1 | usailighting.com | 2

the LittleOnes® Zepto® **Recessed LED Light Fixture**

the LittleOnes Zepto is our tiny 1" aperture recessed product family delivering from 275 to 1100 lumens in wattages from 7W to 15W. Available in Classic White® with downlight and wall wash distributions, this top-performing downlight features best-in-class glare control, and its diminutive size means it won't distract attention away from the lit space.

Includes:







DECLARE ID: USL-0003

LICENSE EXPIRATION: 01 JAN 2026. Please note the labels are renewed annually. LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT

I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE **EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 94% RECYCLABLE, 6% LANDFILL



LittleOnes Zepto USAI Lighting

Final Assembly: New Windsor, New York, USA **Life Expectancy:** 5+ Year(s) End of Life Options: Recyclable (94%), Landfill (6%)

Ingredients:

Galvanized Steel; Cellulose; Aluminum; Iron; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Vinyl labels; Nylon 6; Undisclosed (0.138%)¹

¹LBC Temp Exception RL-004b - Proprietary Ingredients in

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

% Disclosed: 99.86% at 100ppm

■ LBC Red List Approved

VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable I-14 Responsible Sourcing: Not Applicable

USL-0003 EXP. 01 JAN 2026 Original Issue Date: 2022

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

the LittleOnes® Micro **Recessed LED Light Fixture**

the LittleOnes® Micro is our tiny 1.25" aperture recessed product family delivering from 250 to 800 lumens in wattages from 7W to 9W. Available in Classic White® and Dim-to-Warm LED color options with downlight, adjustable and wall wash distributions in both round and square, this super versatile product can provide a beautiful lighting solution for every space.

Includes:





The LittleOnes® Micro **USAI®** Lighting

Final Assembly: New Windsor, New York, USA **Life Expectancy:** 10 Year(s) End of Life Options: Recyclable (94%), Landfill (6%)

Ingredients:

Aluminum; Cellulose; Nylon 6; Galvanized Steel; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Vinyl labels; Styrene-acrylonitrile copolymers; Polystyrene; Polyethylene Terephthalate; Undisclosed (0.251%)¹

¹LBC Temp Exception RL-004b - Proprietary Ingredients in

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

■ LBC Red List Approved

% Disclosed: 99.75% at 100ppm VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable I-14 Responsible Sourcing: Not Applicable

USL-0004 EXP. 01 FEB 2026 Original Issue Date: 2022

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

DECLARE ID: USL-0004

LICENSE EXPIRATION: 01 JAN 2025. Please note the labels are renewed annually. LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT

I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE **EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE

FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 94% RECYCLABLE, 6% LANDFILL

usailighting.com \mid 4 3 usailiahtina.com

the LittleOnes® Micro Doubles **Recessed LED Light Fixture**

the LittleOnes® Mico Doubles is a simple housing solution to install our popular LittleOnes Micro in pairs. This product pairs two 1.25" aperture fixtures within one housing, with 2", 3" or 5" on center spacings. Available in Classic White® and Dim-to-Warm LED color options with downlight. adjustable and wall wash distributions in both round and square, this product provides double the output and functionality of a single fixture.





DECLARE ID: USL-0005

LICENSE EXPIRATION: 01 JAN 2025. Please note the labels are renewed annually.

LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE **EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 94% RECYCLABLE, 6% LANDFILL



The LittleOnes® Micro Doubles **USAI®** Lighting

Final Assembly: New Windsor, New York, USA Life Expectancy: 10 Year(s) End of Life Options: Recyclable (96%), Landfill (4%)

Cellulose; Galvanized Steel; Aluminum; Nylon 6; RoHS Electronics¹: Styrene-acrylonitrile copolymers: Acrylonitrile-Butadiene-Styrene Copolymer; Polystyrene; Glass, oxide, chemicals; Vinyl labels; Carbonic acid, polymer with 4,4'-(1methylethylidene)bis[phenol]; Polyethylene Terephthalate; Undisclosed (0.094%)²

¹LBC Temp Exception RL-002 - Small Electrical Components ²LBC Temp Exception RL-004b - Proprietary Ingredients in

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

% Disclosed: 99.91% at 100ppm VOC Content: Not Applicable

■ LBC Red List Approved □ Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

EXP. 01 FEB 2026 Original Issue Date: 2022

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Micro Multi-Cell Recessed and Pendant **Mounted LED Light Fixture Family**

Micro provides a unique aesthetic for downlights, with a new linear form factor and jewel-like presence in the ceiling plane. Ceilings are powerful yet whisper quiet with Micro's minimal aperture size of just 1.25". Available as a downlight in 2, 4, 6, 8 and 12 cell configurations, Micro brings elegance and clean style to lobbies, corporate headquarters, hotels and residential applications.

Includes:

Micro Multi-Cell Micro Pendant

Micro Multi-Cell for WoodWorks® Vertical Slats Micro Multi-Cell for WoodWorks® Linear Tegular









DECLARE ID: USL-0006

LICENSE EXPIRATION: 01 JAN 2026. Please note the labels are renewed annually.

LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT

I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE **EXCEPTIONS:** RL-004B - PROPRIETARY INGREDIENTS IN DECLARE

FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 94% RECYCLABLE, 6% LANDFILL



Micro Multicell Product Family USAI Lighting

Final Assembly: New Windsor, New York, USA Life Expectancy: 10 Year(s) End of Life Options: Recyclable (95%), Landfill (5%)

Ingredients:

Cellulose; Aluminum; RoHS Electronics (11.54%)¹; Iron; Steel; Acrylonitrile-Butadiene-Styrene Copolymer; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Polyethylene; Polystyrene; Undisclosed (0.386%)¹; Polymethyl methacrylate; Vinyl labels; Undisclosed (0.225%)¹

¹LBC Temp Exception RL-004b - Proprietary Ingredients in

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

% Disclosed: 87.85% at 100ppm ■ LBC Red List Approved VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

USL-0006 EXP. 01 JAN 2026 Original Issue Date: 2024

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

usailighting.com \mid 6 5 usailiahtina.com

the LittleTwos™ Pinhole Recessed LED Light Fixture

Available as a full family of downlight, adjustable and wall wash, USAI's high performance 2" aperture pinhole product line can light spaces with ceilings from 8' to 20' in height while remaining fully serviceable AND installable from below the ceiling plane.





DECLARE ID: USL-0007

LICENSE EXPIRATION: 01 JAN 2026. Please note the labels are renewed annually. LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT

I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE

EXCEPTIONS: RL-004B - PROPRIETARY INGREDIENTS IN DECLARE

FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 94% RECYCLABLE, 6% LANDFILL



LittleTwos Recessed Family USAI Lighting

Final Assembly: New Windsor, New York, USA

Life Expectancy: 10 Year(s)

End of Life Options: Recyclable (95%), Landfill (5%)

Ingredients:

Iron; Cellulose; Aluminum; RoHS Electronics (8.966%)¹; Steel; Carbonic acid, polymer with 4,4'-(1-methylethylidene)bis[phenol]; Nylon 6; Vinyl labels; Polymethyl methacrylate; Acrylonitrile-Butadiene-Styrene Copolymer; Copper; Undisclosed (0.032%)¹

 $^{\rm 1} \! \text{LBC}$ Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

Free % Disclosed: 91% at 100ppm

■ LBC Red List Approved VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable


I-14 Responsible Sourcing: Not Applicable

USL-0007 EXP. 01 JAN 2026 Original Issue Date: 2024

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

the LittleTwos™ Cylinder Surface and Pendant Mounted LED Light Fixture

Each **LittleTwos Cylinder fixture** type features a unique end cap design to achieve specific performance goals. Choose from our full family of standard regress downlight, comfort deep regress, adjustable, glow glass, and wall wash styles to fulfill all of the lighting design requirements on your project.





DECLARE ID: USL-0008

LICENSE EXPIRATION: 01 JAN 2026. Please note the labels are renewed annually.

LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT

I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE

EXCEPTIONS: RL-004B - PROPRIETARY INGREDIENTS IN DECLARE

FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 94% RECYCLABLE, 6% LANDFILL



LittleTwos Cylinder USAI Lighting

Final Assembly: New Windsor, NY, USA **Life Expectancy:** 10 Year(s)

End of Life Options: Recyclable (97%), Landfill (3%)

Ingredients:

Zinc; Aluminum; RoHS Electronics (14.756%)¹; Cellulose; Iron; Undisclosed (0.944%)¹; Glass, oxide, chemicals; Acrylonitrile-Butadiene-Styrene Copolymer; Galvanized Steel; Undisclosed (0.21%)¹; Undisclosed (0.21%)¹; Polydimethylsiloxane rubber; Vinyl labels; Undisclosed (0.14%)¹; Nylon 6; Polyethylene; Polyethylene Terephthalate; Polypropylene; Rubber, synthetic, chlorosulfonated polyethylene

¹LBC Temp Exception RL-004b - Proprietary Ingredients in

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

■ LBC Red List Approved

% Disclosed: 83.74% at 100ppm ved VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable
I-14 Responsible Sourcing: Not Applicable

USL-0008 EXP. 01 JAN 2026 Original Issue Date: 2024

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

7 | usailighting.com usailighting.com | 8

BeveLED Mini® Complete Recessed LED Light Fixture

BeveLED Mini[®] is our iconic product family of 3" aperture downlights delivering from 775 to 2025 lumens in wattages from 9W to 20W. Classic White[®], Warm Glow[®] Dimming, Color Select[®] Tunable White, and dynamic Infinite Color+® WRGB LED color options are all available. Additional enhancements include 0.1% dimming, wet locations, ultra-shallow housings and 15° optic options – all while featuring adaptable apertures for easy field conversion from trimmed to trimless to millwork.

Includes:

BeveLED Mini Complete & Title 24 BeveLED Mini Color Select Digital BeveLED Mini Infinite Color+ & Title 24

Bevel FD Mini Retrofit BeveLED Mini for PoE

BeveLED Mini Complete Integrated Ceilings Products -(Trimless Acoustical, WoodWorks, MetalWorks, Turf)





DECLARE ID: USL-0001

LICENSE EXPIRATION: 01 SEP 2024. Please note the labels are renewed annually.

LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE

EXCEPTIONS: RL-002 - SMALL ELECTRICAL COMPONENTS, RL-004B - PROPRI-

ETARY INGREDIENTS IN DECLARE

FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 94% RECYCLABLE, 6% LANDFILL



BeveLED Mini Complete Family Recessed LED Light Fixture USAI Lighting

Final Assembly: New Windsor, New York, USA **Life Expectancy:** 5+ Year(s) End of Life Options: Recyclable (94%), Landfill (6%)

Ingredients:

B3 Recessed LED Housing: Steel; Galvanized Steel; Aluminum; Vinyl labels; Nylon; Packaging and Instructions: Cellulose; Aperture Plate: Steel; Aluminum; LEXAN; Galvanized Steel; Polyethylene; **B3 Trim Casting:** Galvanized Steel; Aluminum; Powdercoat Paint; Vinyl labels; RoHS Electronic Dimming **Driver:** RoHS Electronics¹: **Optic:** LEXAN: Undisclosed (0.573%)²: Wires: Copper: Glass, oxide, chemicals: Cabling: Glass, oxide, chemicals; Aluminum; Polyethylene; Driver Assembly Connectors: Polyamide fibers; Brass; Galvanized Steel: LED Module Assembly: RoHS Electronics¹: Trim Lens: Undisclosed (0.39%)²: Undisclosed (0.039%)²: **Bubble Wrap**: Polyethylene

¹LBC Temp Exception RL-002 - Small Electrical Components ²LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free ■ LBC Red List Approved

% Disclosed: 99% at 100ppm VOC Content: Not Applicable

□ Declared

I-10 Interior Performance: Not Applicable I-14 Responsible Sourcing: Not Applicable

USL-0001 EXP. 01 OCT 2025 Original Issue Date: 2022

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

BeveLED® 2.2 Complete Recessed LED Light Fixture

BeveLED® 2.2 is our product family of 4.5" aperture downlights delivering from 775 to 3450 lumens in wattages from 9W to 36W. Classic White®, Warm Glow® Dimmina, Color Select® Tunable White, and dynamic Infinite Color+® WRGB LED color options are all available. Additional enhancements include 0.1% dimming, wet locations, glow glass trim and 10° optic options – all while featuring adaptable apertures for easy field conversion from trimmed to trimless to millwork.

Includes:

BeveLED 2.2 Complete & Title 24

BeveLED 2.2 Color Select Digital


BeveLED 2.2 Infinite Color+ & Title 24

BeveLED 2.2 Retrofit

BeveLED 2.2 Glow & Glow Infinite Color+

BeveLED 2.2 for PoE

BeveLED 2.2 Complete Integrated Ceilings Products -(TechZone, Trimless Acoustical, WoodWorks, MetalWorks, Turf)





DECLARE ID: USL-0002

LICENSE EXPIRATION: 01 SEP 2024. Please note the labels are renewed annually.

LIVING BUILDING CHALLENGE COMPLIANCE: COMPLIANT

I-13 RED LIST (DECLARATION STATUS): LBC RED LIST APPROVED

I-14 RESPONSIBLE SOURCING: NOT APPLICABLE

I-10 HEALTHY INTERIOR PERFORMANCE: NOT APPLICABLE **EXCEPTIONS:** RL-002 - SMALL ELECTRICAL COMPONENTS FINAL ASSEMBLY LOCATION: NEW WINDSOR, NY, USA

LIFE EXPECTANCY: 5+ YEAR(S)

END OF LIFE OPTIONS: 93.5% RECYCLABLE, 6.5% LANDFILL



BeveLED 2.2 Complete USAI Lighting

Final Assembly: New Windsor, New York, USA **Life Expectancy:** 5+ Year(s) End of Life Options: Recyclable (93.5%), Landfill (6.5%)

Ingredients:

HSG: Steel: Aluminum: Iron: Galvanized Steel: Zinc: Acetone: Nylon; Packaging and Instructions: Cellulose; Polyethylene; Aperture Plate: Acetone; Carbonic acid, polymer with 4,4'-(1methylethylidene)bis[phenol]; Aluminum; Zinc; Polyethylene; Mounting: Iron; Zinc; Driver: Zinc; RoHS Electronics¹; Aluminum; Trim: Aluminum; Steel; Acetone; Iron; Optics: Carbonic acid, polymer with 4,4'-(1-

methylethylidene)bis[phenol]: Polyethylene Terephthalate: Wires: Copper; Polyethylene; Wiring Connectors: Hexanedioic acid, polymer with 1,3-benzenedimethanamine; **Trim Lens:** Polyethylene Terephthalate; Cable wire: Polyethylene

¹LBC Temp Exception RL-002 - Small Electrical Components

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free

% Disclosed: 100% at 100ppm

■ LBC Red List Approved VOC Content: Not Applicable

☐ Declared

I-10 Interior Performance: Not Applicable I-14 Responsible Sourcing: Not Applicable

USL-0002 EXP. 01 OCT 2025 Original Issue Date: 2022

INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

9 | usailiahtina.com usailiahtina.com | 10



Q: How does the Declare Label reflect USAI Lighting's commitment to sustainability and transparency?

A: USAI Lighting's use of the Declare Label highlights its commitment to sustainability and transparency by disclosing product materials, meeting green building standards, and prioritizing non-toxic, environmentally friendly designs. By identifying whether or not a product incorporates hazardous and/or environmentally harmful ingredients or not, USAI supports designers' initiatives to make informed choices for healthier and environmentally friendly projects.

Q: What materials are listed in the Declare Label for USAI Lighting products?

A: All of the materials used in USAI's products are disclosed as part of the Declare label process, which includes proprietary and RoHS qualified components. Over 80% of products shipped by USAI have a Declare label, and all USAI Declare labels have achieved Red List Approved status. This ensures USAI products are Living Building Challenge compliant, support transparency and can easily be integrated into sustainable projects.

Q: How do USAI Lighting products with Declare Labels align with industry standards for sustainability and environmental health?

A: USAI's Declare Label products complement certifications like LEED, WELL, Living Building Challenge and others by providing detailed ingredient transparency.

Q: What guidelines does USAI provide for the maintenance and longevity of Declare Label products?


A: USAI Lighting ensures the longevity of its products by offering a warranty that guarantees fully serviceable products with replacement parts available for the life of the fixture. Declare Labels are renewed annually. Additionally, USAI's commitment to recyclable materials (with USAI products being typically 94%-96% recyclable at end of life) and energy-saving technologies further supports sustainability and environmental health standards.

Q: Where can I find updated Declare Label information for USAI Lighting products?

A: Updated Declare Label information for USAI Lighting products can be found on USAI's website <u>usailighting.com/declare.</u>

Q: What do I do if a product I want to use doesn't have a Declare Label?

A: USAI is adding new Declare products all of the time. It may be that what you need is already in process. Contact your USAI sales representative for more information.





CALL, EMAIL, OR VISIT USAILIGHTING.COM TO LEARN MORE

USAI LIGHTING COLLABORATORY
13 CROSBY STREET
NEW YORK, NY 10013
(845) 234-4090
SHOWROOM@USAILIGHTING.COM

USAI LIGHTING HEADQUARTERS 1126 RIVER ROAD NEW WINDSOR, NY 12553 (845) 565-8500 INFO@USAILIGHTING.COM © 2025 USAI Lighting.
All rights reserved. the LittleTwos are trademarked. USAI, BeveLED, BeveLED Mini, LittleOnes, Zepto, Classic White, Warm Glow, Color Select and Infinite Color+ are registered trademarks of USAI, LLC. All designs are protected by Copyright. Patent No. 12,031,702 and US D1,045,201. Patents pending.

CA-152C Digital